

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikaflex®-985 (A)

#### Manufacturer or supplier's details

Company : Sika Korea Ltd.  
724, Anseongmatchum-daero  
Miyang-myeon  
Anseong-si  
Gyeonggi-do  
Korea

Telephone : +82-31-8056-7777

Emergency telephone number : +82-31-8056-7777

E-mail address : ehs@kr.sika.com

Telefax : +82-31-8056-7788

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Serious eye damage/eye irritation : Category 2

Skin sensitisation : Category 1

Specific target organ toxicity - single exposure : Category 2

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H371 May cause damage to organs.

Precautionary statements : **Prevention:**  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container according to waste-related laws

### Other hazards which do not result in classification

No data available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
2,4,6-tris(dimethylaminomethyl)phenol	2,4,6-tris(dimethylaminomethyl)phenol	90-72-2	>= 1 - < 5
trimethoxyvinylsilane	trimethoxyvinylsilane	2768-02-7	>= 2.5 - < 5
N-(3-(trimethoxysilyl)propyl)ethylenediamine	N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	>= 1 - < 2.5
dibutylbis(pentane-2,4-dionato-O,O')tin	dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	>= 0.1 - < 0.25

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

---

### 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : irritant effects  
sensitising effects  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause damage to organs.  
Allergic reactions  
Excessive lachrymation  
See Section 11 for more detailed information on health effects and symptoms.
- Notes to physician : Treat symptomatically.
- 

### 5. FIREFIGHTING MEASURES

#### Suitable and unsuitable extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- 

### 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version 1.0      Revision Date: 20.10.2025      SDS Number (Internal): 100000052221      Date of last issue: -  
Date of first issue: 20.10.2025

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Deny access to unprotected persons.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Store in accordance with local regulations.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
methanol	67-56-1	TWA	200 ppm	KR OEL
	Further information: Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
		STEL	250 ppm	KR OEL
		TWA	200 ppm	KR PEL
		STEL	250 ppm	KR PEL

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

**Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.**

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : paste
- Colour : light yellow, white
- Odour : No data available
- Odour Threshold : No data available
- pH : No data available
- Melting point/ range / Freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : > 95 °C (203 °F)  
(Method: closed cup)
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

---

### Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 0.01 hPa

### Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Density : ca. 1.47 g/cm<sup>3</sup> (20 °C)

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

### Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

---

## 10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions : Reactivity:  
No dangerous reaction known under conditions of normal use.  
Chemical stability:  
The product is chemically stable.  
Possibility of hazardous reactions:  
No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition products : methanol

---

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data available

---

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

---

### Health hazard information

#### Acute toxicity

No data available

#### Components:

##### **2,4,6-tris(dimethylaminomethyl)phenol:**

Acute oral toxicity : LD50 Oral (Rat): 2,169 mg/kg

##### **trimethoxyvinylsilane:**

Acute oral toxicity : LD50 Oral (Rat): ca. 7,120 mg/kg

Acute inhalation toxicity : LC50: ca. 16.8 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50: 3,540 mg/kg

##### **N-(3-(trimethoxysilyl)propyl)ethylenediamine:**

Acute oral toxicity : LD50 Oral (Rat): 2,995 mg/kg

### Skin corrosion/irritation

No data available

#### Components:

##### **2,4,6-tris(dimethylaminomethyl)phenol:**

Species : Rabbit  
Assessment : Corrosive  
Method : OECD Test Guideline 404

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

##### **2,4,6-tris(dimethylaminomethyl)phenol:**

Species : Rabbit  
Assessment : Causes serious eye damage.

### Respiratory or skin sensitisation

#### Respiratory sensitisation

No data available

#### Skin sensitisation

May cause an allergic skin reaction.

#### Carcinogenicity

No data available

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

---

### Components:

#### **2,4,6-tris(dimethylaminomethyl)phenol:**

No data available

#### **trimethoxyvinylsilane:**

No data available

#### **N-(3-(trimethoxysilyl)propyl)ethylenediamine:**

No data available

#### **dibutylbis(pentane-2,4-dionato-O,O')tin:**

No data available

### **Germ cell mutagenicity**

No data available

### Components:

#### **2,4,6-tris(dimethylaminomethyl)phenol:**

No data available

#### **trimethoxyvinylsilane:**

No data available

#### **N-(3-(trimethoxysilyl)propyl)ethylenediamine:**

No data available

#### **dibutylbis(pentane-2,4-dionato-O,O')tin:**

Suspected of causing genetic defects.

### **Reproductive toxicity**

No data available

### Components:

#### **2,4,6-tris(dimethylaminomethyl)phenol:**

No data available

#### **trimethoxyvinylsilane:**

No data available

#### **N-(3-(trimethoxysilyl)propyl)ethylenediamine:**

No data available

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

---

### **dibutylbis(pentane-2,4-dionato-O,O')tin:**

May damage fertility or the unborn child.

### **STOT - single exposure**

May cause damage to organs.

### **STOT - repeated exposure**

No data available

### **Repeated dose toxicity**

No data available

### **Aspiration toxicity**

No data available

### **Experience with human exposure**

No data available

### **Toxicology, Metabolism, Distribution**

No data available

### **Neurological effects**

No data available

### **Further information**

No data available

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

No data available

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Other adverse effects**

#### **Product:**

Additional ecological information : There is no data available for this product.

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

---

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

---

cal or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

Do not re-use empty containers.

### Disposal precautions

Dispose of contents and container according to wastes control act.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good  
UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

Not regulated as a dangerous good  
UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo : Not applicable  
aircraft)  
Packing instruction (passen- : Not applicable  
ger aircraft)

#### IMDG-Code

Not regulated as a dangerous good  
UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Regulation under the Occupational Safety and Health Act

#### Harmful Substances Prohibited from Manufacturing

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Harmful Agents to be kept below Occupational Exposure Limits

Chemical name	CAS-No.
Kaoline	1332-58-7

#### Harmful Agents Required to be kept below Permission Levels

Not applicable

#### Hazardous substances requiring management

Not applicable

#### Special Management Materials

Not applicable

#### Controlled Substances Subject to Environment Monitoring

Not applicable

#### Controlled Substances Subject to Health Examination

Chemical name	CAS-No.	Threshold limits (%)
Aluminum and its compounds	1332-58-7	$\geq 1$ %

#### Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

Not applicable

#### K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 1)

Category
Flammable liquid

#### K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 9)

Category	Manufacturing or handling quantity
Flammable liquid	1000 litre

#### Regulation under the Chemicals Control Act

#### Toxic Chemicals

Not applicable

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

### Restricted Chemicals

Not applicable

### Prohibited Chemicals

Not applicable

### Toxic Release Inventory

Chemical name	CAS-No.	Group	Threshold limits (%)
Aluminium and its compounds	1332-58-7	Group II	>= 1 %

### Accident Precaution Chemicals

Not applicable

### Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

### 라. Wastes Control Act

Industrial general wastes

Follow article 13 of the act to dispose the product waste

### 마. Other requirements in domestic and other countries

#### The components of this product are reported in the following inventories:

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

---

## 16. OTHER INFORMATION

Issuing date : 20.10.2025

### Revision number and date

Number of Revision : 1.0

Revision Date : 20.10.2025

Date format : yyyy/mm/dd

# SAFETY DATA SHEET

## Sikaflex®-985 (A)




Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

### NFPA:



### Full text of other abbreviations

KR OEL	:	Harmful Agents to be kept below Occupational Exposure Limits
KR PEL	:	Harmful Agents Required to be kept below Permission Levels
KR OEL / TWA	:	Time Weighted Average
KR OEL / STEL	:	Short Term Exposure Limit
KR PEL / TWA	:	TWA
KR PEL / STEL	:	STEL
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

# SAFETY DATA SHEET

## Sikaflex®-985 (A)



Version  
1.0

Revision Date:  
20.10.2025

SDS Number (Internal):  
100000052221

Date of last issue: -  
Date of first issue: 20.10.2025

---

SVHC : Substances of Very High Concern  
vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.  
KR / EN