

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikaflex®-227

#### Recommended use of the chemical and restrictions on use

Product use : Sealant/adhesive

#### Manufacturer or supplier's details

Company : Sika Korea Ltd.  
724, Anseongmatchum-daero  
Miyang-myeon  
Anseong-si  
Gyeonggi-do  
Korea

Telephone : +82-31-8056-7777

Emergency telephone number : +82-31-8056-7777

E-mail address : ehs@kr.sika.com

Telefax : +82-31-8056-7788

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Inhalation) : Category 1

Skin sensitisation : Category 1

Carcinogenicity : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity -  
repeated exposure : Category 2

Specific target organ toxicity -  
repeated exposure (Inhalation)  
: Category 2 (Lungs, Central nervous system)

#### GHS label elements

Hazard pictograms :



Signal word : Danger

---

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

Hazard statements : H317 May cause an allergic skin reaction.  
H330 Fatal if inhaled.  
H351 Suspected of causing cancer.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H373 May cause damage to organs (Lungs, Central nervous system) through prolonged or repeated exposure if inhaled.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P284 Wear respiratory protection.

**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container according to waste-related laws

### Other hazards which do not result in classification

No data available

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1	>= 20 - < 25
Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 1,3-diisocyanatomethylbenzene	Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 1,3-diisocyanatomethylbenzene	57516-88-8	>= 1 - < 5
Urea,N,N''-(methylenedi-4,1-phenylene)bis[N'-butyl-	Urea,N,N''-(methylenedi-4,1-phenylene)bis[N'-butyl-	77703-56-1	>= 2.5 - < 5
Titanium dioxide (> 10 µm)	Titanium dioxide (> 10 µm)	13463-67-7	>= 1 - < 5
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	64742-82-1	>= 1 - < 2.5
xylene	xylene	1330-20-7	>= 1 - < 3
4,4'-methylenediphenyl diisocyanate	4,4'-methylenediphenyl diisocyanate	101-68-8	>= 0.1 - < 1
ethylbenzene	ethylbenzene	100-41-4	>= 0.1 - < 1
Quartz (SiO2)	Quartz (SiO2)	14808-60-7	0 - < 1

#### 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- In case of eye contact : Remove contact lenses.  
Keep eye wide open while rinsing.

# SAFETY DATA SHEET

## Sikaflex®-227



Version 4.0	Revision Date: 28.04.2026	SDS Number (Internal): 000000122327	Date of last issue: 19.02.2025 Date of first issue: 12.05.2018
----------------	------------------------------	--	---

---

- If eye irritation persists, consult a specialist.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No known significant effects or hazards.  
See Section 11 for more detailed information on health effects and symptoms.  
May cause an allergic skin reaction.  
Fatal if inhaled.  
Suspected of causing cancer.  
Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.
- 

### 5. FIREFIGHTING MEASURES

#### Suitable and unsuitable extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- 

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Deny access to unprotected persons.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
-

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Store in accordance with local regulations.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Titanium dioxide (> 10 µm)	13463-67-7	TWA	10 mg/m <sup>3</sup>	KR OEL
	Further information: Limited evidence of carcinogenicity in humans or animals, which is not sufficiently convincing to place the substance in Category 1			
xylene	1330-20-7	TWA	100 ppm	KR OEL
		STEL	150 ppm	KR OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	20 ppm	ACGIH
		TWA	0.005 ppm	KR OEL
	Further information: Limited evidence of carcinogenicity in humans or animals, which is not sufficiently convincing to place the substance in Category 1			
		TWA	0.005 ppm	KR PEL
		TWA	0.005 ppm	ACGIH
ethylbenzene	100-41-4	TWA	100 ppm	KR OEL
	Further information: Limited evidence of carcinogenicity in humans or animals, which is not sufficiently convincing to place the substance in Category 1			
		STEL	125 ppm	KR OEL
		TWA	20 ppm	ACGIH
Quartz (SiO <sub>2</sub> )	14808-60-7	TWA (Res-	0.05 mg/m <sup>3</sup>	KR OEL

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

		pirable fraction)		
	Further information: Sufficient evidence of carcinogenicity in humans			
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
xylene	1330-20-7	Methylhippuric acids	Urine	End of shift (As soon as possible after exposure ceases)	0.3 g/g creatinine	ACGIH BEI
ethylbenzene	100-41-4	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift (As soon as possible after exposure ceases)	150 mg/g creatinine	ACGIH BEI

**Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.**

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Eye protection : Safety eyewear complying with an approved standard should

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

- be used when a risk assessment indicates this is necessary.
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.
- 

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : paste
- Colour : various
- Odour : slight
- Odour Threshold : No data available
- pH : Not applicable substance/mixture is non-soluble (in water)
- Melting point/ range / Freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : > 101 °C (214 °F)  
(Method: closed cup)
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Upper/lower flammability or explosive limits**
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : 0.01 hPa
- Solubility(ies)  
Water solubility : insoluble
-

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

Solubility in other solvents : No data available

Density : ca. 1.25 g/cm<sup>3</sup> (20 °C)

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : > 20.5 mm<sup>2</sup>/s ( 40 °C (104 °F))

Explosive properties : No data available

Oxidizing properties : No data available

---

### 10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions : Reactivity:  
No dangerous reaction known under conditions of normal use.  
Chemical stability:  
The product is chemically stable.  
Possibility of hazardous reactions:  
No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data available

#### Health hazard information

##### Acute toxicity

Fatal if inhaled.

##### Components:

##### **Urea,N,N''-(methylenedi-4,1-phenylene)bis[N'-butyl-:**

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401

---

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402

### **xylene:**

Acute oral toxicity : LD50 Oral (Rat): 3,523 mg/kg

### **4,4'-methylenediphenyl diisocyanate:**

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement

### **ethylbenzene:**

Acute oral toxicity : LD50 Oral (Rat): 3,500 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 5,510 mg/kg

### **Skin corrosion/irritation**

No data available

### **Serious eye damage/eye irritation**

No data available

### **Respiratory or skin sensitisation**

#### **Respiratory sensitisation**

No data available

#### **Skin sensitisation**

May cause an allergic skin reaction.

### **Carcinogenicity**

Suspected of causing cancer.

### **Components:**

#### **1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich:**

No data available

#### **Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 1,3-diisocyanatomethylbenzene:**

No data available

#### **Urea,N,N''-(methylenedi-4,1-phenylene)bis[N'-butyl-:**

No data available

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

**Titanium dioxide (> 10 µm):**

Suspected of causing cancer.

**Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%):**

No data available

**xylene:**

No data available

**4,4'-methylenediphenyl diisocyanate:**

Suspected of causing cancer.

**ethylbenzene:**

Suspected of causing cancer.

**Quartz (SiO<sub>2</sub>):**

No data available

**Germ cell mutagenicity**

No data available

**Components:**

**1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich:**

No data available

**Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 1,3-diisocyanatomethylbenzene:**

No data available

**Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-:**

No data available

Genotoxicity in vivo

: Species: Bacteria  
Method: OECD Test Guideline 471  
Result: negative

Method: TA98

Method: TA100

Method: TA1535

Method: TA1537

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

### **Titanium dioxide (> 10 µm):**

No data available

### **Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%):**

No data available

### **xylene:**

No data available

### **4,4'-methylenediphenyl diisocyanate:**

No data available

Genotoxicity in vivo

: Species: Bacteria  
Method: OECD Test Guideline 471  
Result: negative

Method: TA98

Method: TA100

Method: TA1535

Method: TA1537

### **ethylbenzene:**

No data available

### **Quartz (SiO<sub>2</sub>):**

No data available

### **Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

### **Components:**

#### **1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich:**

Suspected of damaging fertility or the unborn child.

#### **Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 1,3-diisocyanatomethylbenzene:**

No data available

#### **Urea,N,N''-(methylenedi-4,1-phenylene)bis[N'-butyl]-:**

No data available

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

**Titanium dioxide (> 10 µm):**

No data available

**Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%):**

No data available

**xylene:**

Suspected of damaging fertility or the unborn child.

**4,4'-methylenediphenyl diisocyanate:**

No data available

**ethylbenzene:**

No data available

**Quartz (SiO<sub>2</sub>):**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

May cause damage to organs (Lungs, Central nervous system) through prolonged or repeated exposure if inhaled.

**Repeated dose toxicity**

No data available

**Aspiration toxicity**

No data available

**Experience with human exposure**

No data available

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**Further information**

No data available

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Urea,N,N''-(methylenedi-4,1-phenylene)bis[N'-butyl-:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 250 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Raphidocelis subcapitata (freshwater green alga)): >  
plants 100 mg/l  
Exposure time: 72 h

##### **xylene:**

Toxicity to fish (Chronic tox- : NOEC (Oncorhynchus mykiss (rainbow trout)): > 1.3 mg/l  
icity) Exposure time: 56 d

Toxicity to daphnia and other : NOEC (Daphnia (water flea)): 1.17 mg/l  
aquatic invertebrates (Chron- Exposure time: 7 d  
ic toxicity)

##### **Persistence and degradability**

No data available

##### **Bioaccumulative potential**

No data available

##### **Mobility in soil**

No data available

##### **Other adverse effects**

##### Product:

Additional ecological infor- : There is no data available for this product.  
mation

---

### 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Send to a licensed waste management company.

The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

Do not re-use empty containers.

### Disposal precautions

Dispose of contents and container according to wastes control act.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

Not regulated as a dangerous good

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

#### IMDG-Code

Not regulated as a dangerous good

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

Not applicable

---

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

### 15. REGULATORY INFORMATION

#### National regulatory information

##### Regulation under the Occupational Safety and Health Act

##### Harmful Substances Prohibited from Manufacturing

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

##### Harmful Agents to be kept below Occupational Exposure Limits

Chemical name	CAS-No.
Limestone	1317-65-3
Titanium dioxide	13463-67-7
Xylene (all isomers)	1330-20-7
Methylene bisphenyl isocyanate	101-68-8
Ethyl benzene	100-41-4
Silica (Crystalline quartz)	14808-60-7

##### Harmful Agents Required to be kept below Permission Levels

Chemical name	CAS-No.
Methylene bis(phenyl isocyanate)	101-68-8

##### Hazardous substances requiring management

Chemical name	CAS-No.	Threshold limits (%)
Titanium dioxide	13463-67-7	>= 1 %

##### Special Management Materials

Not applicable

##### Controlled Substances Subject to Environment Monitoring

Chemical name	CAS-No.	Threshold limits (%)
Titanium dioxide	13463-67-7	>= 1 %
Xylene	1330-20-7	>= 1 %
Silica	14808-60-7	

##### Controlled Substances Subject to Health Examination

Chemical name	CAS-No.	Threshold limits (%)
Xylene	1330-20-7	>= 1 %
Mineral dusts	14808-60-7	

##### Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

Not applicable

##### K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 1)

Category
Flammable liquid
Category
Acute toxic substances (inhalation)

##### K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 9)

Category	Manufacturing or handling quantity
----------	------------------------------------

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

Flammable liquid	400 litre
Category	Manufacturing or handling quantity
Acute toxic substances (inhalation)	5 kilogram

### Regulation under the Chemicals Control Act

#### Chemicals of Acute and Chronic Hazard to Human Health and the Environment

##### Substances Acutely hazardous to humans

Not applicable

##### Substances Chronically hazardous to humans

Not applicable

##### Substances Hazardous to the environment

Not applicable

##### Accident Precaution Chemicals

Not applicable

##### Toxic Release Inventory

Chemical name	CAS-No.	Group	Threshold limits (%)
Xylene (o-,m-,p- isomer mixture)	1330-20-7	Group II	>= 1 %
Ethylbenzene	100-41-4	Group II	>= 0.1 %

### Act on Registration and Evaluation of Chemical Substances (K-REACH)

#### Restricted Chemicals

Not applicable

#### Prohibited Chemicals

Not applicable

#### Substances subject to intensive control (ARECs)

Chemical name	CAS-No.
Xylene	1330-20-7

#### Substances with Unconfirmed Hazards

Not applicable

#### Dangerous Substances Safety Management Act

Classification : Group 4, Flammable liquids, Type 3 petroleums, Water insoluble liquid

Hazard rank : Hazardous rank III

Designated Quantity : 2000 litre

Safety Warning : Keep away from fire

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Not applicable

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

### ㉑. Wastes Control Act

Industrial general wastes  
Follow article 13 of the act to dispose the product waste

### Enforcement Rule of Clean Air Conservation Act

#### Air Pollutants

Chemical name
Iron and its compounds

#### Specific Air Pollutants

Chemical name
Ethylbenzene

### ㉒. Other requirements in domestic and other countries

#### The components of this product are reported in the following inventories:

JP ENCS : On the inventory, or in compliance with the inventory  
JP ISHL : Not in compliance with the inventory  
KR KECI : Not in compliance with the inventory

---

## 16. OTHER INFORMATION

Issuing date : 12.05.2018

#### Revision number and date

Number of Revision : 4.0  
Revision Date : 28.04.2026  
Date format : yyyy/mm/dd

# SAFETY DATA SHEET

## Sikaflex®-227




Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

### NFPA:



### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
KR OEL	:	Harmful Agents to be kept below Occupational Exposure Limits
KR PEL	:	Harmful Agents Required to be kept below Permission Levels
ACGIH / TWA	:	8-hour, time-weighted average
KR OEL / TWA	:	Time Weighted Average
KR OEL / STEL	:	Short Term Exposure Limit
KR PEL / TWA	:	TWA
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-

# SAFETY DATA SHEET

## Sikaflex®-227



Version  
4.0

Revision Date:  
28.04.2026

SDS Number (Internal):  
000000122327

Date of last issue: 19.02.2025  
Date of first issue: 12.05.2018

---

SVHC :  
vPvB :

istration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency  
: Substances of Very High Concern  
: Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

KR / EN