

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SikaTherm®-4208

#### Recommended use of the chemical and restrictions on use

Product use : Adhesive, For professional users only.

#### Manufacturer or supplier's details

Company : Sika Korea Ltd.  
724, Anseongmatchum-daero  
Miyang-myeon  
Anseong-si  
Gyeonggi-do  
Korea

Telephone : +82-31-8056-7777

Emergency telephone number : +82-31-8056-7777

E-mail address : ehs@kr.sika.com

Telefax : +82-31-8056-7788

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms : Not applicable

Signal word : Not applicable

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Disposal:**  
P501 Dispose of contents/ container according to waste-related laws

#### Other hazards which do not result in classification

No data available

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

Substance / Mixture : Mixture

### Components

| Chemical name   | Common Name   | CAS-No.    | Concentration (% w/w) |
|---|---|------------|-----------------------|
| 2,2'-(ethylenedioxy)diethanol   | 2,2'-(ethylenedioxy)diethanol   | 112-27-6   | 0.025 - < 0.25        |
| bronopol (INN)  | bronopol (INN)  | 52-51-7    | >= 0.0025 - < 0.025   |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 55965-84-9 | >= 0.0025 - < 0.025   |
| 2-octyl-2H-isothiazole-3-one (OIT)  | 2-octyl-2H-isothiazole-3-one (OIT)  | 26530-20-1 | 0.0025 - < 0.025      |

## 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Keep eye wide open while rinsing.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.
- If inhaled : Move to fresh air.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No known significant effects or hazards.  
See Section 11 for more detailed information on health effects and symptoms.
- Notes to physician : Treat symptomatically.

## 5. FIREFIGHTING MEASURES

### Suitable and unsuitable extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : For personal protection see section 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.  
No special handling advice required.  
Follow standard hygiene measures when handling chemical products

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Store in accordance with local regulations.

Materials to avoid : No special restrictions on storage with other products.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components  | CAS-No.    | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis  |
|---|------------|-------------------------------|--|--------|
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 55965-84-9 | TWA (Inhalable fraction)      | 0.1 mg/m <sup>3</sup>                          | KR OEL |

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

**Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.**

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : various
- Odour : mild
- Odour Threshold : No data available
- pH : 7 - 8.5  
Concentration: 100 %
- Melting point/ range / Freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

---

### Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 23 hPa

### Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Density : ca. 1 g/cm<sup>3</sup> (20 °C)

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

### Viscosity

Viscosity, dynamic : ca. 6,500 mPa.s (20 °C (68 °F))

Viscosity, kinematic : > 20.5 mm<sup>2</sup>/s ( 40 °C (104 °F))

Explosive properties : No data available

Oxidizing properties : No data available

---

## 10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions : Reactivity:  
No dangerous reaction known under conditions of normal use.  
Chemical stability:  
The product is chemically stable.  
Possibility of hazardous reactions:  
No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition products : No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

---

Information on likely routes of exposure : No data available

### Health hazard information

#### Acute toxicity

No data available

#### Components:

##### 2-octyl-2H-isothiazole-3-one (OIT):

Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l  
Test atmosphere: dust/mist  
Method: Expert judgement

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitisation

##### Respiratory sensitisation

No data available

##### Skin sensitisation

No data available

#### Carcinogenicity

No data available

#### Components:

##### 2,2'-(ethylenedioxy)diethanol:

No data available

##### bronopol (INN):

No data available

##### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

No data available

##### 2-octyl-2H-isothiazole-3-one (OIT):

No data available

#### Germ cell mutagenicity

No data available

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

---

### Components:

#### **2,2'-(ethylenedioxy)diethanol:**

No data available

#### **bronopol (INN):**

No data available

#### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

No data available

#### **2-octyl-2H-isothiazole-3-one (OIT):**

Suspected of causing genetic defects.

### **Reproductive toxicity**

No data available

### Components:

#### **2,2'-(ethylenedioxy)diethanol:**

Suspected of damaging fertility or the unborn child.

#### **bronopol (INN):**

No data available

#### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

No data available

#### **2-octyl-2H-isothiazole-3-one (OIT):**

No data available

### **STOT - single exposure**

No data available

### **STOT - repeated exposure**

No data available

### **Repeated dose toxicity**

No data available

### **Aspiration toxicity**

No data available

### **Experience with human exposure**

No data available

### **Toxicology, Metabolism, Distribution**

No data available

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

---

### Neurological effects

No data available

### Further information

No data available

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### bronopol (INN):

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

##### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

##### 2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

### Disposal precautions

Dispose of contents and container according to wastes control act.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

Not regulated as a dangerous good

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

#### IMDG-Code

Not regulated as a dangerous good

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

Not applicable

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

### 15. REGULATORY INFORMATION

#### National regulatory information

##### Regulation under the Occupational Safety and Health Act

##### Harmful Substances Prohibited from Manufacturing

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

##### Harmful Agents to be kept below Occupational Exposure Limits

| Chemical name  | CAS-No.    |
|--|------------|
| 5-Chloro-2-methyl-3(2H)-isothiazolone, mixt. with 2-methyl-3(2H)-isothiazolone | 55965-84-9 |

##### Harmful Agents Required to be kept below Permission Levels

Not applicable

##### Hazardous substances requiring management

Not applicable

##### Special Management Materials

Not applicable

##### Controlled Substances Subject to Environment Monitoring

Not applicable

##### Controlled Substances Subject to Health Examination

Not applicable

##### Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

|| Not applicable

##### K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 1)

|| Not applicable

##### K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 9)

|| Not applicable

##### Regulation under the Chemicals Control Act

##### Toxic Chemicals

Not applicable

##### Restricted Chemicals

Not applicable

##### Prohibited Chemicals

Not applicable

##### Toxic Release Inventory

Not applicable

##### Accident Precaution Chemicals

Not applicable

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

### Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors

### 라. Wastes Control Act

Industrial general wastes

Follow article 13 of the act to dispose the product waste

### 마. Other requirements in domestic and other countries

The components of this product are reported in the following inventories:

|      |   |                                      |
|------|---|--------------------------------------|
| ENCS | : | Not in compliance with the inventory |
| ISHL | : | Not in compliance with the inventory |
| KECI | : | Not in compliance with the inventory |


## 16. OTHER INFORMATION

Issuing date : 25.05.2022

### Revision number and date

Number of Revision : 4.0  
Revision Date : 15.09.2025  
Date format : yyyy/mm/dd

### NFPA:



### Full text of other abbreviations

KR OEL : Harmful Agents to be kept below Occupational Exposure Limits

# SAFETY DATA SHEET

## SikaTherm®-4208



Version  
4.0

Revision Date:  
15.09.2025

SDS Number (Internal):  
100000044048

Date of last issue: 30.09.2024  
Date of first issue: 25.05.2022

---

|              |   |  |
|--------------|---|--|
| KR OEL / TWA | : | Time Weighted Average  |
| ADR          | : | European Agreement concerning the International Carriage of Dangerous Goods by Road  |
| CAS          | : | Chemical Abstracts Service   |
| DNEL         | : | Derived no-effect level  |
| EC50         | : | Half maximal effective concentration   |
| GHS          | : | Globally Harmonized System   |
| IATA         | : | International Air Transport Association  |
| IMDG         | : | International Maritime Code for Dangerous Goods  |
| LD50         | : | Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)  |
| LC50         | : | Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)   |
| MARPOL       | : | International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978  |
| OEL          | : | Occupational Exposure Limit  |
| PBT          | : | Persistent, bioaccumulative and toxic  |
| PNEC         | : | Predicted no effect concentration  |
| REACH        | : | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC         | : | Substances of Very High Concern  |
| vPvB         | : | Very persistent and very bioaccumulative   |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

KR / EN