

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikalastic®-215 Drylok®

Manufacturer or supplier's details

Company : Sika Korea Ltd.
724, Anseongmatchum-daero
Miyang-myeon
Anseong-si
Gyeonggi-do
Korea

Telephone : +82-31-8056-7777

Emergency telephone number : +82-31-8056-7777

E-mail address : ehs@kr.sika.com

Telefax : +82-31-8056-7788

2. HAZARDS IDENTIFICATION

GHS Classification

Carcinogenicity : Category 1A

Specific target organ toxicity -
repeated exposure : Category 1

Specific target organ toxicity -
repeated exposure (Inhalation)
: Category 2 (Lungs)

Long-term (chronic) aquatic
hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H350 May cause cancer.
H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container according to waste-related laws

Other hazards which do not result in classification

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
Titanium dioxide (> 10 µm)	Titanium dioxide (> 10 µm)	13463-67-7	>= 5 - < 10
1-(2-butoxy-1-methylethoxy)propan-2-ol	1-(2-butoxy-1-methylethoxy)propan-2-ol	29911-28-2	>= 1 - < 5
2-(2-methoxyethoxy)ethanol	2-(2-methoxyethoxy)ethanol	111-77-3	>= 1 - < 3
White mineral oil (petroleum)	White mineral oil (petroleum)	8042-47-5	>= 0.25 - < 1
2-octyl-2H-isothiazole-3-one (OIT)	2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	0.0025 - < 0.025
3-iodo-2-propynyl butylcarbamate (IPBC)	3-iodo-2-propynyl bu-	55406-53-6	>= 0.0025 - < 0.025

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

	tylcarbamate (IPBC)		
2-methyl-2H-isothiazol-3-one (MIT)	2-methyl-2H-isothiazol-3-one (MIT)	2682-20-4	$\geq 0.0025 - < 0.025$
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	$\geq 0.0003 - < 0.0025$

4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Keep eye wide open while rinsing.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- If inhaled : Move to fresh air.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No known significant effects or hazards.
See Section 11 for more detailed information on health effects and symptoms.
May cause cancer.
Causes damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable and unsuitable extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing method : Standard procedure for chemical fires.

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

ods

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.
for firefighters

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : For personal protection see section 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.
No special handling advice required.
Follow standard hygiene measures when handling chemical products

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Store in accordance with local regulations.

Materials to avoid : No special restrictions on storage with other products.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Titanium dioxide (> 10 µm)	13463-67-7	TWA	10 mg/m ³	KR OEL
	Further information: Limited evidence of carcinogenicity in humans or animals, which is not sufficiently convincing to place the substance in Category 1			
White mineral oil (petroleum)	8042-47-5	TWA	0.8 mg/m ³ (mixed solvent soluble aerosol)	KR OEL
3-iodo-2-propynyl butylcarbamate (IPBC)	55406-53-6	TWA (Inhalable particulate matter)	0.01 mg/m ³ (Iodine)	ACGIH

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	TWA (Inhalable fraction)	0.1 mg/m ³	KR OEL
---	------------	--------------------------	-----------------------	--------

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
isobutane	75-28-5	TWA	800 ppm	KR OEL
		STEL	1,000 ppm	ACGIH

Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : white
- Odour : No data available
- Odour Threshold : No data available
- pH : ca. 9.1

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

Melting point/ range / Freezing point : No data available
Boiling point/boiling range : No data available
Flash point : > 101 °C (214 °F)
(Method: closed cup)
Evaporation rate : No data available
Flammability (solid, gas) : No data available

Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 23 hPa

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Density : ca. 1.378 g/cm³ (20 °C)

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : > 20.5 mm²/s (40 °C (104 °F))

Explosive properties : No data available

Oxidizing properties : No data available

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions : Reactivity:
No dangerous reaction known under conditions of normal use.
Chemical stability:
The product is chemically stable.
Possibility of hazardous reactions:
No hazards to be specially mentioned.

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

Conditions to avoid : No data available
Incompatible materials : No data available
Hazardous decomposition products : isobutane

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data available

Health hazard information

Acute toxicity

No data available

Components:

1-(2-butoxy-1-methylethoxy)propan-2-ol:

Acute oral toxicity : LD50 Oral (Rat): 3,700 mg/kg

2-octyl-2H-isothiazole-3-one (OIT):

Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l
Test atmosphere: dust/mist
Method: Expert judgement

3-iodo-2-propynyl butylcarbamate (IPBC):

Acute oral toxicity : LD50 Oral (Rat): 1,056 mg/kg

2-methyl-2H-isothiazol-3-one (MIT):

Acute oral toxicity : LD50 (Rat): 200 mg/kg

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

Respiratory sensitisation

No data available

Skin sensitisation

No data available

Carcinogenicity

May cause cancer.

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

Components:

Titanium dioxide (> 10 µm):

Suspected of causing cancer.

1-(2-butoxy-1-methylethoxy)propan-2-ol:

No data available

2-(2-methoxyethoxy)ethanol:

No data available

White mineral oil (petroleum):

No data available

2-octyl-2H-isothiazole-3-one (OIT):

No data available

3-iodo-2-propynyl butylcarbamate (IPBC):

No data available

2-methyl-2H-isothiazol-3-one (MIT):

No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

No data available

Germ cell mutagenicity

No data available

Components:

Titanium dioxide (> 10 µm):

No data available

1-(2-butoxy-1-methylethoxy)propan-2-ol:

No data available

2-(2-methoxyethoxy)ethanol:

No data available

White mineral oil (petroleum):

No data available

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

2-octyl-2H-isothiazole-3-one (OIT):

Suspected of causing genetic defects.

3-iodo-2-propynyl butylcarbamate (IPBC):

No data available

2-methyl-2H-isothiazol-3-one (MIT):

No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

No data available

Reproductive toxicity

No data available

Components:

Titanium dioxide (> 10 µm):

No data available

1-(2-butoxy-1-methylethoxy)propan-2-ol:

No data available

2-(2-methoxyethoxy)ethanol:

Suspected of damaging fertility or the unborn child.

White mineral oil (petroleum):

No data available

2-octyl-2H-isothiazole-3-one (OIT):

No data available

3-iodo-2-propynyl butylcarbamate (IPBC):

No data available

2-methyl-2H-isothiazol-3-one (MIT):

No data available

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

No data available

STOT - single exposure

No data available

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.
May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Repeated dose toxicity

No data available

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

3-iodo-2-propynyl butylcarbamate (IPBC):

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

2-methyl-2H-isothiazol-3-one (MIT):

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

Persistence and degradability

No data available

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

Disposal precautions

Dispose of contents and container according to wastes control act.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good
UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

Not regulated as a dangerous good
UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

Not regulated as a dangerous good

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Regulation under the Occupational Safety and Health Act

Harmful Substances Prohibited from Manufacturing

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Harmful Agents to be kept below Occupational Exposure Limits

Chemical name	CAS-No.
Diatomaceous earth	7631-86-9
Titanium dioxide	13463-67-7
metal working fluids	8042-47-5
5-Chloro-2-methyl-3(2H)-isothiazolone, mixt. with 2-methyl-3(2H)-isothiazolone	55965-84-9

Harmful Agents Required to be kept below Permission Levels

Not applicable

Hazardous substances requiring management

Chemical name	CAS-No.	Threshold limits (%)
Titanium dioxide	13463-67-7	>= 1 %

Special Management Materials

Not applicable

Controlled Substances Subject to Environment Monitoring

Chemical name	CAS-No.	Threshold limits (%)
Titanium dioxide	13463-67-7	>= 1 %
Metal working fluids type 1	8042-47-5	

Controlled Substances Subject to Health Examination

Chemical name	CAS-No.	Threshold limits (%)
Mineral dusts	7631-86-9	

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

Not applicable

K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 1)

Not applicable

K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 9)

Not applicable

Regulation under the Chemicals Control Act

Chemicals of Acute and Chronic Hazard to Human Health and the Environment

Substances Acutely hazardous to humans

Not applicable

Substances Chronically hazardous to humans

Not applicable

Substances Hazardous to the environment

Not applicable

Accident Precaution Chemicals

Not applicable

Toxic Release Inventory

Not applicable

Act on Registration and Evaluation of Chemical Substances (K-REACH)

Restricted Chemicals

Not applicable

Prohibited Chemicals

Not applicable

Substances subject to intensive control (ARECs)

Not applicable

Substances with Unconfirmed Hazards

Not applicable

Dangerous Substances Safety Management Act

Classification : Group 4, Flammable liquids, Type 3 petroleums, Water soluble liquid

Hazard rank : Hazardous rank III

Designated Quantity : 4000 litre

Safety Warning : Keep away from fire

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Not applicable

Wastes Control Act

Industrial general wastes

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

Follow article 13 of the act to dispose the product waste

Enforcement Rule of Clean Air Conservation Act

Specific Air Pollutants

Chemical name
Ethylene oxide

Other requirements in domestic and other countries

The components of this product are reported in the following inventories:

JP ENCS	:	Not in compliance with the inventory
JP ISHL	:	Not in compliance with the inventory
KR KECI	:	Not in compliance with the inventory


16. OTHER INFORMATION

Issuing date : 02.02.2026

Revision number and date

Number of Revision : 2.0
Revision Date : 02.04.2026
Date format : yyyy/mm/dd

NFPA:



Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
KR OEL : Harmful Agents to be kept below Occupational Exposure Limits

SAFETY DATA SHEET

Sikalastic®-215 Drylok®



Version
2.0

Revision Date:
02.04.2026

SDS Number (Internal):
100000068518

Date of last issue: 02.02.2026
Date of first issue: 02.02.2026

ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
KR OEL / TWA	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

KR / EN